

Revision Date: 09/11/2008

Issue date: 09/12/2008

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: Pro Strength Degreaser Product type: Cleaner Company address: Henkel Corporation 1001 Trout Brook Crossing Rocky Hill, Connecticut 06067	Item No. : 30521 / IDH No. 234900 Region: United States Contact Information: Telephone: 860.571.5100 Emergency telephone: 860.571.5100 Internet: www.loctite.com
--	--

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous components</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>OTHER</u>
Petroleum distillates, hydrotreated light 64742-47-8	30-60	None	None	None
Kerosene 8008-20-6	30-60	200 mg/m ³ TWA application restricted to conditions in which there are negligible aerosol exposures (skin)	None	None
Propane 74-98-6	10-30	1000 ppm TWA	1000 ppm TWA 1800 mg/m ³ TWA	None

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Physical state: Aerosol Liquid Color: Yellow Odor: Mild petroleum	HMIS: HEALTH: 2 FLAMMABILITY: 4 PHYSICAL HAZARD: 0 Personal Protection: See Section 8
--	--

DANGER: CONTENTS UNDER PRESSURE.
 EXTREMELY FLAMMABLE LIQUID AND VAPOR
 HARMFUL IF SWALLOWED OR INHALED.
 VAPOR HARMFUL

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Inhalation:	Harmful by inhalation. Exposure to high doses may cause central nervous system depression. Such doses may also cause adverse effects in the liver, kidneys, and lungs. Dizziness. Headache. Nausea.
Skin contact:	Irritating to skin. Prolonged or repeated contact can cause or aggravate dermatitis or other skin conditions.
Eye contact:	Contact with eyes will cause irritation. Liquid, aerosols or vapor are irritating and can cause tearing, reddening and swelling.
Ingestion:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Existing conditions aggravated by exposure: Skin disorders.

See Section 11 for additional toxicological information.

4. FIRST AID MEASURES

Inhalation:	Move to fresh air in case of accidental inhalation of vapours. If symptoms develop and persist, get medical attention.
Skin contact:	Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. If skin irritation persists, call a physician.
Eye contact:	Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.
Ingestion:	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting.

5. FIRE-FIGHTING MEASURES

Flash point:	<-17.7°C (<0°F)
Autoignition temperature:	Not available
Flammable/Explosive limits-lower %:	0.6
Flammable/Explosive limits-upper %:	9.5
Extinguishing media:	Use dry chemical, CO2, water spray or `alcohol` foam.
Special fire fighting procedures:	Keep unnecessary personnel away. Remove all ignition sources. Use water spray to keep fire exposed containers cool and disperse vapors.
Unusual fire or explosion hazards:	Contents under pressure. Do not puncture or incinerate pressurized containers.
Hazardous combustion products:	Oxides of carbon. Irritating organic fragments.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions:	Prevent product from entering the drains.
Clean-up methods:	Remove all ignition sources. Ventilate area. For large spills absorb onto inert absorbent material and place in sealed container for disposal.

7. HANDLING AND STORAGE

Handling:	When using, do not eat, drink or smoke. Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after handling. Keep away from heat, spark and flame.
Storage:	Store away from ignition sources. Keep container closed.
Incompatible products:	Oxidizing agents.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering controls:	Ensure adequate ventilation, especially in confined areas.
Respiratory protection:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Skin protection:	Use impermeable gloves and protective clothing as necessary to prevent skin contact.
Eye/face protection:	Chemical splash goggles or safety glasses with side shields.

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Aerosol Liquid
Color:	Yellow
Odor:	Mild petroleum
Vapor pressure:	Not available
pH:	Not applicable
Boiling point/range:	Not available
Melting point/range:	Not available
Specific gravity:	.76
Vapor density:	Heavier than air
Evaporation rate:	Slower than ether.
Solubility in water:	Insoluble.
Partition coefficient (n-octanol/water):	Not available
VOC content:	96.5%; 733 grams/liter

10. STABILITY AND REACTIVITY

Stability:	Stable.
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	Oxides of carbon. Irritating organic fragments.
Incompatibility:	Oxidizing agents. Strong acids and oxidizing agents.
Conditions to avoid:	Fire or intense heat may cause violent rupture of packages. Avoid temperatures above 120 °C (48.8 °F).

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Petroleum distillates, hydrotreated light 64742-47-8	No	No	No
Kerosene 8008-20-6	No	No	No
Propane 74-98-6	No	No	No

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs
Petroleum distillates, hydrotreated light 64742-47-8	Irritant
Kerosene 8008-20-6	Spleen, Lung, Liver, Kidney, Irritant, Central nervous system, Bone Marrow, Blood
Propane 74-98-6	Cardiac, Central nervous system, Irritant

12. ECOLOGICAL INFORMATION

Ecological information:	No specific studies have been conducted by Henkel on the ecotoxicity or environmental fate of this material; however, commonly available data on the material indicate that uncontrolled releases to soil, groundwater, or surface waters could entail acute and/or chronic ecological effects, depending on the quantity and concentration of such releases. Releases of volatile components to the atmosphere are not believed to entail significant ecological consequences provided such releases are within the exposure levels set forth in this document. Accordingly, all appropriate measures should be taken to avoid uncontrolled releases to the environment, and any spills or other uncontrolled releases which may occur should be contained and cleaned up immediately in accordance with Section 6.
-------------------------	--

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

EPA hazardous waste number: D001: Ignitable.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: Consumer commodity
Hazard class or division: ORM-D None
Identification number: None
Packing group: None

International Air Transportation (ICAO/IATA):

Proper shipping name: Aerosols, flammable
Hazard class or division: Not available 2.1
Identification number: UN 1950
Packing group: None

Water Transportation (IMO/IMDG):

Proper shipping name: Aerosols, flammable, n.o.s
Hazard class or division: 2.1
Identification number: UN 1950
Packing group: None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
TSCA 12 (b) Export Notification: None.

CERCLA/SARA Section 302 EHS: None above reporting de minimus.
CERCLA/SARA Section 311/312: Fire, Immediate Health Hazard
CERCLA/SARA 313: None above reporting de minimus.

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: All other components are listed on or are exempt from listing on the Domestic Substances List.
WHMIS hazard class: B.1, D.2.B

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: 4,15,8

Prepared by: Lou Fabrizio, Senior Health & Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Corporation has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Corporation's products. In light of the foregoing, Henkel Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Corporation's products. Henkel Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.